

Public Notice

The mission of DTSC is to protect California's people and the environment from harmful effects of toxic substances through the restoration of contaminated resources, enforcement, regulation and pollution prevention.

EXTENSION OF PUBLIC COMMENT PERIOD ON DRAFT HAZARDOUS WASTE POST-CLOSURE PERMIT ACME FILL CORPORATION Martinez California 94553 EXTENDED FROM SEPTEMBER 22 to NOVEMBER 21, 2014

In response to a public request, the Department of Toxic Substances Control (DTSC) extends the public comment period on the draft Hazardous Waste Post-Closure Facility Permit (draft Permit) for a closed hazardous waste landfill. DTSC has also scheduled a Public Hearing on November 5. The draft Permit, if approved, allows Acme Fill Corporation (Acme) to continue monitoring groundwater, maintaining and inspecting the landfill cover and monitoring the extraction wells under a Permit rather than under the existing Interim Status regulations.

The closed hazardous waste landfill portion of the facility, located at 950 Waterbird Way in Martinez, California, 94553, stopped accepting hazardous waste in 1989. Acme closed the landfill in 1999 and has monitored the waste left in place since then.

You may send all public comments in writing to

**Peter Bailey, Project Manager, DTSC Office of Permitting,
8800 Cal Center Drive, Sacramento, CA 95826 or
by e-mail to Peter.Bailey@dtsc.ca.gov
Comments must be postmarked or delivered by
November 21, 2014.**

**DTSC will hold a Public Meeting and Hearing,
Las Juntas Elementary School, Multipurpose Room
4105 Pacheco Blvd.
Martinez, CA 94553
November 5, 2014, 6:30 p.m.**

Si desea información en español, comuníquese con Jesus Cruz a número gratis, 1 (866) 495-5651 or Jesus.Cruz@dtsc.ca.gov.

During the public comment period, any interested person may submit written comments on the draft permit. In the public hearing, any person may submit oral or written statements and data concerning the draft permit. Reasonable limits will be set upon the time allowed for oral statements. A written transcript of the hearing will be made available to the public. All written comments received will be considered in making a final decision.

All persons who believe any condition of the draft permit is inappropriate or that DTSC's tentative decision to prepare a draft permit is inappropriate, must raise all issues and submit all arguments and factual grounds supporting their position, including all supporting material, by the close of the public comment period. All supporting materials must be included in full and may not be incorporated by reference, unless they are already

part of the administrative record, or consist of State or Federal statutes and regulations, DTSC or USEPA documents of general applicability, or other generally available reference materials. Commenters must make supporting material not already included in the administrative record available to DTSC as directed by DTSC. After considering all comments, DTSC will issue a response to comments that will be available to the public. Under the California Environmental Quality Act, DTSC must determine whether the proposed actions may have any negative effects on human health or the environment. Based on this evaluation, DTSC has proposed a Notice of Exemption which concludes that this Permit will not result in any negative impact to human health or the environment.

WHERE DO I GET MORE INFORMATION?

You may review copies of the draft Hazardous Waste Post-Closure Facility Permit and related documents on Acme at:

DTSC web site:

<http://www.envirostor.dtsc.ca.gov>

Martinez Public Library
740 Court Street
Martinez, CA 94553
(925) 625-2400

DTSC Regional Records Office
8800 Cal Center Drive
Sacramento CA 95826
(916) 255-4159

For questions, please contact:

Peter Bailey
DTSC Project Manager
(916) 255-3602
Peter.Bailey@dtsc.ca.gov

Nathan Schumacher
DTSC Public Participation Specialist
(916) 255-3650
Nathan.Schumacher@dtsc.ca.gov

For News Media Only:
DTSC Public Information Officer
Russ Edmondson
(916) 323-3372
Russ.Edmondson@dtsc.ca.gov

